The

Geophysical Journal

of the

Royal Astronomical Society

Volume 78

Published for the Royal Astronomical Society by
Blackwell Scientific Publications
Oxford London Edinburgh Boston
Palo Alto Melbourne

© 1984 Royal Astronomical Society

Published by Blackwell Scientific Publications
Osney Mead, Oxford OX2 0EL
8 John Street, London WC1N 2ES
23 Ainslie Place, Edinburgh EH3 6AJ
52 Beacon Street, Boston, Massachusetts 02108, USA
667 Lytton Avenue, Palo Alto, California 94301, USA
107 Barry Street, Carlton, Victoria 3053, Australia

Printed in Great Britain by Adlard & Son Ltd
Bartholomew Press, Dorking

Geophysical journal author index by volume 78

Aiinehsazian, K. *see* Vincenz, S.A.
Alvarez, F., Virieux, J., Le Pichon, X. Thermal consequences of lithosphere extension over continental margins: the initial stretching phase, **78**, 389
Anderson, D.L. *see* Nakanishi, I.

Barton, C.E. *see* Creer, K.M.
Bastin, J.A. Planetary shape: internal constraints for small bodies, **78**, 219
Bazzari M.A. *see* El-Isa, Z.H.
Bernard, P., Madariaga, R. High-frequency seismic radiation from a buried circular fault, **78**, 1
Birkenmajer, K. *see* Vincenz, S.A.
Bock, G. *see* Hendrajaya, L.
Brooks, M. *see* Mechie, J.
Burdick, L.J. *see* Lay, T.
Burton, P.W., McGonigle, R., Makropoulos, K.C., Uçer, S.B. Seismic risk in Turkey, the Aegean and the eastern Mediterranean: the occurrence of large magnitude earthquakes, **78**, 475

Caputo, M., Are there one-to-one relationships between magnitude, moment, intensity and ground acceleration (Erratum), **78**, 319
Carracedo, J.C. *see* Heller, F.
Červený, V., Pšenčík, I. Gaussian beams in elastic 2-D laterally varying layered structures, **78**, 65
Chittineni, C.B. Frequency domain optimal inverse convolution filtering of noisy data, **78**, 321
Clarke, T.J. Full reconstruction of a layered elastic medium from *P-SV* slant-stack data, **78**, 775
Cohen, S.C., Kramer, M.J. Crustal deformation, the earthquake cycle, and the models of viscoelastic flow in the asthenosphere, **78**, 711
Counil, J.L., Le Mouël, J.L., Menvielle, M. A study of diurnal variation of the electromagnetic field in northern France using ancient recordings, **78**, 831
Courtillot, V., Le Mouël, J.L., Ducruix, J. On Backus' filter theory and the 1969 geomagnetic impulse, **78**, 619
Creer, K.M., Tucholka, P., Barton, C.E. Geomagnetism of baked clay and recent sediments (Book Review), **78**, 855

Das, S. *see* Kostrov, B.V.
Davis, E.E., Lister, C.R.B., Sclater, J.G. Towards determining the thermal state of old ocean lithosphere: heat-flow measurements from the Blake-Bahama outer ridge, north-west Atlantic, **78**, 507
Dawson, E. *see* Newitt, L.R.
Day, S.M., Minster, J.B. Numerical simulation of attenuated wavefields using a Pade approximant method, **78**, 65
Ducruix, J. *see* Courtillot, V.

Eldholm, O. *see* Talwani, M.
El-Isa, Z.H., Merghelani, H.M., Bazzari, M.A. The Gulf of Aqaba earthquake swarm of 1983 January – April, **78**, 711

Frazer, L.N. *see* Fryer, G.J.
Frazer, L.N., Sinton, J.B. A Kirchhoff method for the computation of finite-frequency body wave synthetic seismograms in laterally inhomogeneous media, **78**, 413
Fryer, G.J., Frazer, L.N. Seismic waves in stratified anisotropic media, **78**, 691

Grafarend, E., Sanso, F. The multibody space-time geodetic boundary value problem and the Honkasalo term, **78**, 255
Gray, S.H. A problem of discrete approximations to an arbitrarily varying one-dimensional seismic model, **78**, 431

Ha, J. Propagation of *SH-waves* in a layered medium, **78**, 291
Heller, F. *see* Soler, V.
Helmberger, D.V. *see* Lay, T.
Hendrajaya, L., Muirhead, K.J., Bock, G. Observations of the phase *SP* at distances less than 40°, **78**, 307
Hermance, J.F. Electromagnetic induction by finite wavenumber source fields in 2-D lateral heterogeneities: the transverse electric mode **78**, 159
Huestis, S.P. The inverse problem for heat flow data in the presence of thermal conductivity variations, **78**, 119

Jelenska, M. *see* Vincenz, S.A.

Kaikkonen, P., Pajunpää, K. Audiomagnetotelluric measurements across the Lake Ladoga–Bothnian Bay zone in Central Finland, **78**, 439
Kostrov, B.V., Das, S. Evaluation of stress and displacement fields due to an elliptical plane shear crack, **78**, 19
Korvin, G. Shale compaction and statistical physics, **78**, 35
Kramer, M.J. *see* Cohen, S.C.

Lay, T., Burdick, L.J., Helmberger, D.V. Estimating the yields of the Amchitka tests by waveform intercorrelation, **78**, 181
Le Mouël, J.L. *see* Counil, J.L
Le Mouël, J.L. *see* Courtillot, V.
Le Pichon, X. *see* Alvarez, F.
Lister, C.R.B. *see* Davis E.E.

McElhinny, M.W. *see* McFadden, P.L.
McFadden, P.L., McElhinny, M.W. A physical model of palaeoseular variation, **78**, 809

McGonigle, R. *see* Burton, P.W.
McKirdy, D.McA., Weaver, J.T. Induction in a thin-sheet of variable conductance at the surface of a stratified earth - I. Two-dimensional theory, **78**, 93
McMechan, G.A. Inversion of a refraction wavefield by imaging in the *p-x* and *v-z* planes, **78**, 723
Makropoulos, K.C. *see* Burton, P.W.
Madariaga, R. *see* Bernard, P.
Mechie, J., Brooks, M. A seismic study of deep geological structure in the Bristol Channel area, SW Britain, **78**, 661
Menvielle, M. *see* Counil, J.L.
Merghelani, H.M. *see* El-Isa, Z.H.
Minster, J.B. *see* Day, S.M.
Muirhead, K.J. *see* Hendrajaya, L.
Mutter, J.C. *see* Talwani, M.

Nakanishi, I., Anderson, D.L. Measurements of mantle wave velocities and inversion for lateral heterogeneity and anisotropy - II. Analysis by the single-station method, **78** 573
Negi, J.G. *see* Saraf, P.D.
Newitt, L.R., Dawson, E. Secular variation in North America during historical times, **78** 277
Noel, M., St Pierre, S. The palaeomagnetism and magnetic fabric of cave sediments from Grønligrotta and Jordbrugrotta Norway, **78** 231

Oldenburg, D.W. The inversion of lead isotope data, **78**, 139
Olson, P.L. *see* Singer, H.A.

Pajunpää, K. *see* Kaikkonen, P.
Pšenčík, I. *see* Červený, V.

Roberts, R.G. The long-period electromagnetic response of the Earth, **78**, 547
Rogers, J. *see* Shaw, J.

St Pierre, S. *see* Noel, M.
Saraf, P.D., Negi, J.G. Multifrequency sounding over colliding plate boundaries (Erratum), **78**, 637
Sanso, F. *see* Grafarend, E.
Sclater, J.G. *see* Davis E.E.
Share, J.A. *see* Shaw, J.
Shaw, J., Share, J.A., Rogers, J. An automated superconducting magnetometer and demagnetizing system, **78**, 209
Singer, H.A., Olson, P.L. Dynamo action in a stably stratified core, **78**, 371
Sinton, J.B. *see* Frazer, L.N.
Soler, V., Carracedo, J.C., Heller, F. Geomagnetic secular variation in historical lavas from the Canary Islands, **78**, 313
Stoffa, P.L. *see* Talwani, M.

Talwani, M., Mutter, J.C., Eldholm, O., Stoffa, P.L. Comments on paper by Smythe *et al.*, 'Early opening history of the north Atlantic – I. Structure of the Faeroe-Shetland escarpment', **78**, 627
Tamsett, D. An application of the response function technique to profiles of bathymetry and gravity in the Gulf of Aden, **78**, 349
Tanimoto, T. Waveform inversion of mantle Love waves: the Born seismogram approach, **78**, 641
Tanner, S.J. Seismic response characteristics of marine reflection profiling systems, **78**, 51
Tucholka, P. *see* Creer, K.M.

Üçer S.B. *see* Burton, P.W.

Vincenz, S.A., Jelenska, M., Aiinehsazian, K., Birkenmajer, K. Palaeomagnetism of some late Mesozoic dolerite sills of East Central Spitsbergen, Svalbard Archipelago, **78**, 751
Virieux, J. *see* Alvarez, F.

Ward, S.N. A note on lithospheric bending calculations, **78**, 241
Weaver, J.T. *see* McKirdy, D.McA.
Whaler, K.A. Fluid upwelling at the core-mantle boundary – resolvability from surface geomagnetic data, **78**, 453
Willis, C. Inverse problems for torsional modes, **78**, 847
Wunsch, C., Zlotnicki, V. The accuracy of altimetric surfaces, **78**, 795

Zlotnicki, V. *see* Wunsch, C.

Geophysical journal subject index by volume 78

Age Determination

The inversion of lead isotope data (Oldenburg, D.W.), **78** 139

Book Review

Geomagnetism of baked clay and recent sediments, (Creer, K.M., Tucholka, P., Barton, C.E.), **78**, 855

Computational Methods

Frequency domain optimal inverse convolution filtering of noisy data (Chittineni, C.B.), **78**, 321

An application of the response function technique to profiles of bathymetry and gravity in the Gulf of Aden (Tamsett, D.), **78**, 349

Data Analysis

On Backus' filter theory and the 1969 geomagnetic impulse (Courtillot, V., Le Mouël, J.L., Ducruix, J.), **78**, 619

Earthquakes

Seismic risk in Turkey, the Aegean and the eastern Mediterranean: the occurrence of large magnitude earthquakes (Burton, P.W., McGonigle, R., Makropoulos, K.C., Üçer, S.B.), **78**, 475

The Gulf of Aqaba earthquake swarm of 1983 January – April (El-Isa, Z.H., Merghelani, H.M., Bazzari, M.A.), **78**, 711

Crustal deformation, the earthquake cycle, and the models of viscoelastic flow in the asthenosphere, (Cohen, S.C., Kramer, M.J.), **78**, 735

Earth's Core

Fluid upwelling at the core-mantle boundary – resolvability from surface geomagnetic data, (Whaler, K.A.), **78**, 453

Earth's Lithosphere

A note on lithospheric bending calculations (Ward, S.N.), **78**, 241

Thermal consequences of lithosphere extension over continental margins: the initial stretching phase, (Alvarez, F., Virieux, J., Le Pichon, X.), **78**, 389

Towards determining the thermal state of old ocean lithosphere: heat-flow measurements from the Blake-Bahama outer ridge, north-west Atlantic, (Davis, E.E., Lister, C.R.B., Sclater, J.G.), **78**, 507

Crustal deformation, the earthquake cycle and the models of viscoelastic flow in the asthenosphere, (Cohen, S.C., Kramer, M.J.), **78**, 735

Earth's Mantle

Fluid upwelling at the core-mantle boundary – resolvability from surface geomagnetic data, (Whaler, K.A.), **78**, 453

Measurements of mantle wave velocities and inversion for lateral heterogeneity and anisotropy – II. Analysis by the single-station method, (Nakanishi, I., Anderson, D.L.), **78**, 573

Waveform inversion of mantle Love waves: the Born seismogram approach (Tanimoto, T.), **78**, 641

Elastic Wave Theory

High-frequency seismic radiation from a buried circular fault (Bernard, P., Madariaga, R.), **78**, 1

Evaluation of stress and displacement fields due to an elliptical plane shear crack (Kostrov, B.V., Das, S.), **78**, 19

Gaussian beams in elastic 2-D laterally varying layered structures (Červený, V., Pšenčík, I.), **78**, 65

Numerical simulation of attenuated wavefields using a Pade approximant method (Day, S.M., Minster, J.B.), **78**, 105

Propagation of *SH*-waves in a layered medium (Ha, J.), **78**, 291

A Kirchhoff method for the computation of finite-frequency body wave synthetic seismograms in laterally inhomogeneous media (Frazer, L.N., Sinton, J.B.), **78**, 413

Seismic waves in stratified anisotropic media, (Fryer, G.J., Frazer, L.N.), **78**, 691

Electrical Methods and Surveys

A study of diurnal variation of the electromagnetic field in northern France using ancient recordings, (Counil, J.L., Le Mouël, J.L., Menvielle, M.), **78**, 831

Electrical Properties

The long-period electromagnetic response of the Earth (Roberts, R.G.), **78**, 547

Electromagnetic Induction

Induction in a thin-sheet of variable conductance at the surface of a stratified earth – I. Two-dimensional theory (McKirdy, D., Weaver, J.T.), **78**, 93
Electromagnetic induction by finite wavenumber source fields in 2-D lateral heterogeneities: the transverse electric mode (Hermance, J.F.), **78**, 159
The long-period electromagnetic response of the Earth (Roberts, R.G.), **78**, 547
A study of diurnal variation of the electromagnetic field in northern France using ancient recordings, (Counil, J.L., Le Mouel, J.L., Menville, M.), **78**, 831

Explosion Phenomena

Estimating the yields of the Amchitka tests by waveform intercorrelation (Lay, T., Burdick, L.J., Helmberger, D.V.), **78**, 181

Free Oscillations of Earth

Inverse problems for torsional modes (Willis, C.), **78**, 847

Geodesy

The multibody space-time geodetic boundary value problem and the Honkasalo term (Grafarend, E., Sanso, F.), **78**, 255

Gravity Field, Earth

The multibody space-time geodetic boundary value problem and the Honkasalo term (Grafarend, E, Sanso, F.), **78**, 255
An application of the response function technique to profiles of bathymetry and gravity in the Gulf of Aden (Tamsett, D.), **78**, 349

Heat Flow

The inverse problem for heat flow data in the presence of thermal conductivity variations, (Huestis, S.P.), **78**, 119
Towards determining the thermal state of old ocean lithosphere: heat-flow measurements from the Blake-Bahama outer ridge, north-west Atlantic, (Davis, E.E., Lister, C.R.B., Sclater, J.G.), **78**, 507

Inverse Problems and Methods of Inference

The inverse problem for heat flow data in the presence of thermal conductivity variations, (Huestis, S.P.), **78**, 119
The inversion of lead isotope data (Oldenburg, D.W.), **78**, 139
Frequency domain optimal inverse convolution filtering of noisy data (Chittineni, C.B.), **78**, 321
Waveform inversion of mantle Love waves: the Born seismogram approach (Tanimoto, T.), **78**, 641
Inversion of a refraction wavefield by imaging in the p-x and v-z planes (McMechan, G.A.), **78**, 723
Inverse problems for torsional modes (Willis, C.), **78**, 847

Magnetic Field of Earth

Secular variation in North America during historical times (Newitt, L.R., Dawson, E.), **78**, 277
Geomagnetic secular variation in historical lavas from the Canary Islands (Soler, V., Carracedo, J.C., Heller, F.), **78**, 313
Dynamo action in a stably stratified core (Singer, H.A., Olson, P.L.), **78**, 371
Fluid upwelling at the core-mantle boundary – resolvability from surface geomagnetic data, (Whaler, K.A.), **78**, 453
A physical model of palaeosecular variation, (McFadden, P.L., McElhinny, M.W.), **78**, 809

Magnetohydrodynamics

Dynamo action in a stably stratified core (Singer, H.A., Olson, P.L.), **78**, 371

Magnetotelluric Methods and Surveys,

Audiomagnetotelluric measurements across the Lake Ladoga–Bothnian Bay zone in Central Finland, (Kaikkonen, P., Pajunpää, K.), **78**, 439

Marine Geophysics

Seismic response characteristics of marine reflection profiling systems (Tanner, S.J.), **78**, 51
A seismic study of deep geological structure in the Bristol Channel area, SW Britain (Mechie, J., Brooks, M.), **78**, 661

Oceanography

The accuracy of altimetric surfaces (Wunsch, C., Zlotnicki, V.), **78**, 795

Palaeomagnetism

An automated superconducting magnetometer and demagnetizing system (Shaw, J., Share, J.A., Rogers, J.), **78** 209

The palaeomagnetism and magnetic fabric of cave and sediments from Grønligrotta and Jordbrugrotta Norway (Noel, M., St Pierre, S.), **78**, 231
Geomagnetic secular variation in historical lavas from the Canary Islands (Soler, V., Carracedo, J.C., Heller, F.), **78**, 313
Palaeomagnetism of some late Mesozoic dolerite sills of East Central Spitsbergen, Svalbard Archipelago, (Vincenz, S.A., Jelenska, M., Aiinehsazian, K., Birkenmajer, K.), **78** 751
A physical model for palaeosecular variation, (McFadden, P.L., McElhinny, M.W.), **78**, 809

Physics of Rocks Sedimentation

Shale compaction and statistical physics (Korvin, G.), **78**, 35

Planetary Dynamics

Planetary shape: internal constraints for small bodies (Bastin, J.A.), **78**, 219

Satellite Methods

The accuracy of altimetric surfaces (Wunsch, C., Zlotnicki, V.), **78**, 795

Seismic Methods and Surveys

Seismic response characteristics of marine reflection profiling systems (Tanner, S.J.), **78**, 51
Estimating the yields of the Amchitka tests by waveform intercorrelation (Lay, T., Burdick, L.J., Helmberger, D.V.), **78**, 181
Full reconstruction of a layered elastic medium from *P-SV* slant-stack data (Clarke, T.J.), **78**, 775

Seismicity

Seismic risk in Turkey, the Aegean and the eastern Mediterranean: the occurrence of large magnitude earthquakes (Burton, P.W., McGonigle, R., Makropoulos, K.C., Üçer, S.B.), **78**, 475

Seismology

Observations of the phase *SP* at distances less than 40° (Hendrajaya, L., Muirhead, K.J., Bock, G.) **78**, 307
A problem of discret approximations to an arbitrarily varying one-dimensional seismic model (Gray, S.H.), **78**, 431
Measurements of mantle wave velocities and inversion for lateral heterogeneity and anisotropy – II. Analysis by the single-station method, (Nakanishi, I., Anderson, D.L.), **78**, 573
Seismic waves in stratified anisotropy media, (Fryer, G.J., Frazer, L.N.), **78**, 691
Inversion of a refraction wavefield by imaging in the *p-x* and *v-z* planes (McMechan, G.A.), **78**, 723

Seismology, Body Waves

A Kirchhoff method for the computation of finite-frequency body wave synthetic seismograms in laterally inhomogeneous media (Frazer, L.N., Sinton, J.B.), **78**, 413
Waveform inversion of mantle Love waves: the Born seismogram approach (Tanimoto, T.), **78**, 641
A seismic study of deep geological structure in the Bristol Channel area, SW Britain (Mechie, B., Brooks, M.), **78**, 661

Seismology Surface Waves

On Backus' filter theory and the 1969 geomagnetic impulse (Courtillot, V., Le Mouel, J.L., Ducruix, J.), **78**, 619

Statistical Methods

Frequency domain optimal inverse convolution filtering of noisy data (Chittineni, C.B.), **78**, 321

Tectonics

Comments on paper by Smythe *et al.*, 'Early opening history of the north Atlantic – I. Structure of the Faeroe-Shetland escarpment' (Talwani, M., Mutter, J.C., Eldholm, O., Stoffa, P.L.), **78**, 627
Crustal deformation, the earthquake cycle, and the models of viscoelastic flow in the asthenosphere, (Cohen, S.C., Kramer, M.J.), **78**, 735